



-DOUBLE SPAN SPAN-WIRE DIAMETER SELECTION CHARTS (1 OF 2)-

**DOUBLE SPAN SPAN-WIRE DIAMETER SELECTION CHART FOR 12" Ø XS POLE**




**DOUBLE SPAN SPAN-WIRE DIAMETER SELECTION CHART FOR 14" Ø XS POLE**




**LOAD KEY**

- 5 = 5 SIGNALS AND 4 SIGNS MAX.
- 4 = 4 SIGNALS AND 4 SIGNS MAX.
- 3 = 3 SIGNALS AND 3 SIGNS MAX.
- 2 = 2 SIGNALS AND 2 SIGNS MAX.
- 1 = 1 SIGNAL AND 1 SIGN MAX.

**DOUBLE SPAN SPAN-WIRE DIAMETER SELECTION CHART FOR 16" Ø XS POLE**



**DOUBLE SPAN SPAN-WIRE DIAMETER SELECTION CHART FOR 18" Ø XS POLE**



**LEGEND**

\* = TYPICAL JUMP CAUSED BY CHANGE IN POLE SIZE USING SPAN LENGTH INCREASEMENT OF 5'.


**Computer File Information**

Creation Date: 07-01-11      Initials: LEC  
 Last Modification Date: 07-28-14      Initials: HHB  
 Full Path: www.dot.state.co.us/DesignSupport/  
 Drawing File Name: S-614-41 (12-13 of 13).dgn  
 CAD Ver.: MicroStation V8      Scale: Not to Scale      Units: English



**Sheet Revisions**

Date:	Comments


**Colorado Department of Transportation**  
 4201 East Arkansas Avenue  
 Denver, Colorado 80222  
 Phone: (303) 757-9543  
 Fax: (303) 757-9219  
**Safety & Traffic Engineering Branch**      **KCM/RLD**

**TEMPORARY SPAN WIRE SIGNALS**

Issued By: Safety & Traffic Engineering Branch July 4, 2012

**STANDARD PLAN NO.**

**S-614-41**

**Sheet No. 12 of 13**