

gibberta 9:55:42 AM C:\Projects\21254 - SH 67 Cripple Creek to Westcreek\Design\Drawings\21254DES\_Approach01.dgn


STATION	TYPE	Avg Width	Length	Area	Hot Mix Asphalt (ST) (75) (Tons)		Emulsified Asphalt (Slow Setting) (Gal.)		Current Surface	Description
		Ft	Ft	SY	403-36721	As-Const.	411-10255	As-Const.		
46+35	LT	Business	0.0	0.0	0.0	0.0		0.0	Paved	0
46+35	RT	Field Approach	0.0	0.0	0.0	0.0		0.0	Gravel	Heritage Center - Pave to Existing Joint
51+42	RT	County Road	0.0	0.0	0.0	0.0		0.0	Gravel	Teller County Road 82
83+36	RT	Field Approach	24.0	4.0	10.7	0.9		0.5	Gravel	0
83+79	LT	County Road	24.0	4.0	10.7	0.9		0.5	Gravel	Old SH 67 Alignment, NO CR#
85+95	RT	County Road	0.0	0.0	0.0	0.0		0.0	Paved	TCR 821 - Pave to existing Joint
126+19	RT	Residential	94.0	50.0	522.2	43.1		26.1	Gravel	Multiple Homes
132+31	RT	Residential	52.0	20.0	115.6	9.5		5.8	Gravel	Multiple Homes
137+59	LT	Residential	48.5	4.0	21.6	1.8		1.1	Gravel	Single Residence
142+87	LT	Residential	0.0	0.0	0.0	0.0		0.0	Gravel	Discuss with R2 Access Unit
146+36	LT	Residential	70.5	42.0	329.0	27.1		16.5	Gravel	0
150+42	RT	Residential	46.5	36.0	186.0	15.3		9.3	Gravel	0
150+74	LT	Residential	52.0	50.0	288.9	23.8		14.4	Gravel	Multiple Homes
153+27	LT	Residential	44.0	50.0	244.4	20.2		12.2	Gravel	0
155+70	RT	Residential	39.0	41.0	177.7	14.7		8.9	Gravel	0
159+08	RT	Residential	39.5	39.0	171.2	14.1		8.6	Gravel	Multiple Homes
159+29	LT	Residential	99.0	50.0	550.0	45.4		27.5	Gravel	0
168+69	LT	Residential	38.5	50.0	213.9	17.6		10.7	Gravel	0
173+34	RT	Residential	38.5	50.0	213.9	17.6		10.7	Gravel	0
174+29	LT	Field Approach	24.0	4.0	10.7	0.9		0.5	Gravel	0
176+66	RT	Residential	46.5	48.0	248.0	20.5		12.4	Gravel	0
177+72	LT	Field Approach	24.0	4.0	10.7	0.9		0.5	Gravel	0
181+84	LT	Residential	66.0	4.0	29.3	2.4		1.5	Gravel	0
183+74	LT	Residential	41.5	50.0	230.6	19.0		11.5	Gravel	0
185+11	RT	Residential	39.0	50.0	216.7	17.9		10.8	Gravel	0
186+85	LT	County Road	0.0	0.0	0.0	0.0		0.0	Paved	TCR 61 - See Drawing
193+72	RT	Residential	39.0	50.0	216.7	17.9		10.8	Gravel	0
202+64	RT	Residential	51.5	50.0	286.1	23.6		14.3	Gravel	0
207+97	RT	Residential	42.0	50.0	233.3	19.3		11.7	Gravel	0
215+36	RT	Residential	66.0	4.0	29.3	2.4		1.5	Gravel	0
223+13	RT	Residential	0.0	0.0	0.0	0.0		0.0	Gravel	0
235+01	LT	Residential	39.0	50.0	216.7	17.9		10.8	Paved	0
236+54	LT	Residential	40.0	50.0	222.2	18.3		11.1	Paved	0
239+34	RT	County Road	86.0	50.0	477.8	39.4		23.9	Paved	TCR 64 / 81
244+56	LT	Residential	38.0	30.0	126.7	10.5		6.3	Paved	0
262+36	LT	Residential	45.5	38.0	192.1	15.8		9.6	Paved	Multiple Homes
276+98	LT	Residential	58.5	25.0	162.5	13.4		8.1	Gravel	0
288+65	LT	Residential	43.0	29.0	138.6	11.4		6.9	Gravel	0
291+66	RT	Residential	42.5	26.0	122.8	10.1		6.1	Gravel	0
293+40	LT	Residential	66.0	4.0	29.3	2.4		1.5	Gravel	0
300+69	LT	County Road	68.0	38.0	287.1	23.7		14.4	Gravel	Castle Ridge View
301+59	RT	Residential	85.0	16.0	151.1	12.5		7.6	Gravel	0
303+96	LT	Residential	66.0	4.0	29.3	2.4		1.5	Gravel	0
319+70	RT	Residential	66.0	4.0	29.3	2.4		1.5	Gravel	0
333+00	RT	Residential	66.0	4.0	29.3	2.4		1.5	Gravel	0
336+65	LT	Residential	66.0	4.0	29.3	2.4		1.5	Gravel	0
402+38	LT	Residential	0.0	0.0	0.0	0.0		0.0	Gravel	0
423+29	RT	Residential	66.0	4.0	29.3	2.4		1.5	Concrete	0
425+61	LT	Residential	70.5	50.0	391.7	32.3		19.6	Gravel	Thousand Pines
433+01	LT	Residential	67.0	50.0	372.2	30.7		18.6	Gravel	0
439+66	RT	Residential	66.0	4.0	29.3	2.4		1.5	Gravel	0
Subtotal A					629.8			381.7		

Print Date: 2/27/2017  
 File Name: 21254DES\_Approach01.dgn  
 Horiz. Scale: 1:1      Vert. Scale: As Noted  
 Unit Information      Unit Leader Initials



Sheet Revisions		
Date:	Comments	Init.

**Colorado Department of Transportation**



1480 Quail Lake Loop, Suite A  
 Colorado Springs, CO 80906  
 Phone: 719-227-3231    FAX: 719-227-3298

**Region 2**      **DLH**

**As Constructed**

No Revisions:

Revised:

Void:

**Tabulation of Approaches**

Designer:	AWG	Structure Numbers	
Detailer:			
Sheet Subset:	Approach	Subset Sheets:	1 of 4

**Project No./Code**

STA 067A-039

21254

Sheet Number **18**



gibberta 9:55:47 AM C:\Projects\21254 - SH 67 Cripple Creek to Westcreek\Design\Drawings\21254-DES-Approach02.dgn

STATION	TYPE	Avg Width	Length	Area	Hot Mix Asphalt (ST) (75) (Tons)		Emulsified Asphalt (Slow Setting) (Gal.)		Current Surface	Description
		Ft	Ft	SY	403-36721	As-Const.	411-10255	As-Const.		
455+87	LT Residential	41.5	20.0	92.2	7.6		4.6		Gravel	0
527+84	RT County Road	44.5	50.0	247.2	20.4		12.4		Gravel	Calcite Drive
531+00	LT County Road	88.5	50.0	491.7	40.6		24.6		Gravel	Pikes Peak Drive
533+91	LT Residential	66.0	4.0	29.3	2.4		1.5		Gravel	0
547+64	LT County Road	66.0	4.0	29.3	2.4		1.5		Gravel	Lupine Court
554+55	RT Residential	66.0	4.0	29.3	2.4		1.5		Gravel	0
558+56	LT County Road	74.5	30.0	248.3	20.5		12.4		Gravel	Horseshoe Drive
562+63	RT County Road	66.0	4.0	29.3	2.4		1.5		Gravel	Primrcse Lane
563+11	LT County Road	107.5	50.0	597.2	49.3		29.9		Gravel	Willow Road
591+67	RT County Road	66.0	4.0	29.3	2.4		1.5		Gravel	Hemalite Lane
591+83	LT 0	62.0	50.0	344.4	28.4		17.2		Gravel	Firehouse
598+06	LT County Road	74.0	38.0	312.4	25.8		15.6		Gravel	Sportsmans Lane
602+76	RT County Road	0.0	0.0	0.0	0.0		0.0		Gravel	Kernite Lane
609+31	RT Residential	66.0	4.0	29.3	2.4		1.5		Gravel	0
618+65	RT Residential	40.0	20.0	88.9	7.3		4.4		Gravel	0
620+18	RT Residential	0.0	0.0	0.0	0.0		0.0		Gravel	Consult with Access Unit
638+19	LT County Road	81.0	50.0	450.0	37.1		22.5		Gravel	Timberidge Road
643+73	RT Residential	43.0	20.0	95.6	7.9		4.8		Gravel	0
661+26	LT County Road	0.0	0.0	0.0	0.0		0.0		Paved	TCR 61
671+19	LT Residential	66.0	4.0	29.3	2.4		1.5		Gravel	0
672+01	LT Residential	66.0	4.0	29.3	2.4		1.5		Gravel	0
679+48	RT Residential	22.5	24.0	60.0	5.0		3.0		Gravel	0
682+33	LT Residential	45.5	20.0	101.1	8.3		5.1		Gravel	0
683+33	LT Field Approach	16.0	4.0	7.1	0.6		0.4		Gravel	0
698+85	LT Field Approach	0.0	0.0	0.0	0.0		0.0		Gravel	0
712+27	LT Field Approach	24.0	4.0	10.7	0.9		0.5		Gravel	0
715+80	RT County Road	26.0	264.0	762.7	167.8		76.3		Gravel	Crags Road
718+76	LT Residential	66.0	4.0	29.3	2.4		1.5		Gravel	0
730+43	LT Residential	39.5	23.0	100.9	8.3		5.0		Gravel	Meuller State Park
737+03	LT Business	0.0	0.0	0.0	0.0		0.0		Paved	Gravel Pit
739+40	RT Business	0.0	0.0	0.0	0.0		0.0		Gravel	0
748+38	LT Field Approach	16.0	4.0	7.1	0.6		0.4		Gravel	0
753+03	LT Residential	0.0	0.0	0.0	0.0		0.0		Paved	0
763+80	RT Residential	66.0	4.0	29.3	2.4		1.5		Gravel	0
799+44	RT Residential	66.0	4.0	29.3	2.4		1.5		Gravel	0
800+65	LT Field Approach	24.0	4.0	10.7	0.9		0.5		Gravel	0
835+50	RT County Road	80.5	50.0	447.2	36.9		22.4		Gravel	Divide South Drive
840+83	RT County Road	47.0	37.0	193.2	15.9		9.7		Gravel	Cantiberry Road
843+05	LT Field Approach	24.0	4.0	10.7	0.9		0.5		Gravel	Meuller State Park - Gate 36
856+41	RT Residential	39.5	20.0	87.8	7.2		4.4		Gravel	0
864+65	LT Residential	66.0	4.0	29.3	2.4		1.5		Gravel	0
866+02	RT Field Approach	16.0	4.0	7.1	0.6		0.4		Gravel	0
873+78	RT Residential	86.5	20.0	192.2	15.9		9.6		Paved	Elk Valley Road
875+58	LT Residential	66.0	4.0	29.3	2.4		1.5		Gravel	0
881+01	LT Field Approach	16.0	4.0	7.1	0.6		0.4		Gravel	0
889+30	LT Field Approach	24.0	4.0	10.7	0.9		0.5		Gravel	0
894+85	RT Field Approach	24.0	4.0	10.7	0.9		0.5		Gravel	0
918+92	RT Residential	66.0	4.0	29.3	2.4		1.5		Gravel	0
926+69	RT County Road	69.0	16.0	122.7	10.1		6.1		Gravel	Hybrook Road South
926+69	LT County Road	48.0	39.0	208.0	17.2		10.4		Paved	Existing 5'x35' Concrete Ditch Pan
936+45	LT County Road	68.0	44.0	332.4	27.4		16.6		Paved	Pave to Longitudinal Joint
936+45	RT County Road	60.5	42.0	282.3	23.3		14.1		Paved	Pave to Longitudinal Joint
941+73	LT Business	46.0	20.0	102.2	8.4		5.1		Paved	Pave to Longitudinal Joint
Subtotal B					637.3		360.8			

Print Date: 2/27/2017
File Name: 21254DES_Approach02.dgn
Horiz. Scale: 1:1      Vert. Scale: As Noted
Unit Information      Unit Leader Initials

Sheet Revisions		
Date:	Comments	Init.

**Colorado Department of Transportation**



1480 Quail Lake Loop, Suite A  
Colorado Springs, CO 80906  
Phone: 719-227-3231    FAX: 719-227-3298

**Region 2**      **DLH**

As Constructed		Tabulation of Approaches	
No Revisions:		Designer:      AWG	Structure Numbers
Revised:		Detailer:	
Void:		Sheet Subset:    Approach	Subset Sheets:    2 of 2

Project No./Code	
STA 067A-039	
21254	
Sheet Number	19



gibberta 9:55:52 AM C:\Projects\21254 - SH 67 Cripple Creek to Westcreek\Design\Drawings\21254DES\_Approach04.dgn

STATION	TYPE	Avg Width	Length	Area	Hot Mix Asphalt (ST) (75) (Tons)		Emulsified Asphalt (Slow Setting) (Gal.)		Current Surface	Description
		Ft	Ft	SY	403-36721	As-Const.	411-10255	As-Const.		
1100+06	LT	County Road	49.0	36.0	196.0	16.2		9.8	Paved	Lucky Lady Drive
1106+66	RT	Business	72.0	50.0	400.0	33.0		20.0	Paved	0
1109+40	LT	Field Approach	16.0	4.0	7.1	0.6		0.4	Gravel	0
1116+27	RT	Field Approach	24.0	4.0	10.7	0.9		0.5	Gravel	0
1119+70	LT	Field Approach	16.0	4.0	7.1	0.6		0.4	Gravel	0
1119+70	RT	Residential	37.0	32.0	131.6	10.9		6.6	Paved	0
1123+29	LT	Business	43.0	50.0	238.9	19.7		11.9	Gravel	0
1123+29	RT	County Road	59.5	48.0	317.3	26.2		15.9	Gravel	Triple B Ranch Road
1125+14	LT	Business	42.5	50.0	236.1	19.5		11.8	Gravel	0
1127+78	LT	Business	43.5	50.0	241.7	19.9		12.1	Gravel	0
1140+98	LT	County Road	33.5	50.0	186.1	15.4		9.3	Paved	Zuni Point
1141+19	RT	Residential	27.0	29.0	87.0	7.2		4.4	Paved	0
1147+21	RT	Residential	27.0	29.0	87.0	7.2		4.4	Gravel	0
1150+74	RT	Residential	24.5	30.0	81.7	6.7		4.1	Gravel	0
1151+06	RT	Residential	29.5	28.0	91.8	7.6		4.6	Gravel	0
1159+30	RT	Residential	28.0	50.0	155.6	12.8		7.8	Gravel	0
1165+42	RT	Residential	31.0	24.0	82.7	6.8		4.1	Gravel	0
1173+50	RT	Forest Service	102.5	37.0	421.4	34.8		21.1	Gravel	FS 335
1173+50	LT	Forest Service	45.5	50.0	252.8	20.9		12.6	Paved	FS 342
1227+94	LT	Forest Service	37.5	50.0	208.3	17.2		10.4	Gravel	FS 339
1234+96	LT	Residential	33.5	50.0	186.1	15.4		9.3	Gravel	0
1246+42	RT	Residential	42.0	50.0	233.3	19.3		11.7	Gravel	0
1257+08	LT	Forest Service	88.5	25.0	245.8	20.3		12.3	Paved	Quaker Ridge
1262+52	RT	Forest Service	38.5	50.0	213.9	17.6		10.7	Paved	Sky High Ranch
1305+50	RT	County Road	36.5	46.0	186.6	15.4		9.3	Gravel	Colorado Campground
1306+87	LT	Field Approach	24.0	4.0	10.7	0.9		0.5	Gravel	0
1318+81	RT	Forest Service	54.5	50.0	302.8	25.0		15.1	Paved	0
1336+49	LT	0	52.5	50.0	291.7	24.1		14.6	Paved	0
1359+62	RT	Forest Service	45.5	50.0	252.8	20.9		12.6	Paved	Manitou Campground
1392+78	RT	County Road	62.5	50.0	347.2	28.6		17.4	Paved	Spruce Road / TCR 79
1407+83	LT	Forest Service	0.0	0.0	0.0	0.0		0.0	Gravel	FS 391
1464+75	LT	Field Approach	16.0	4.0	7.1	0.6		0.4	Gravel	0
1465+59	RT	Field Approach	24.0	4.0	10.7	0.9		0.5	Gravel	Forest Service Approach
1486+92	RT	Field Approach	16.0	4.0	7.1	0.6		0.4	Gravel	0
1518+02	LT	Field Approach	24.0	4.0	10.7	0.9		0.5	Gravel	0
1525+68	RT	County Road	45.0	50.0	250.0	20.6		12.5	Paved	Douglas County Road 49
1543+36	LT	Field Approach	16.0	4.0	7.1	0.6		0.4	Gravel	0
1553+19	LT	Field Approach	16.0	4.0	7.1	0.6		0.4	Gravel / Pave	0
1569+13	RT	Field Approach	16.0	4.0	7.1	0.6		0.4	Gravel	0
1569+13	LT	Field Approach	16.0	4.0	7.1	0.6		0.4	Gravel	0
1582+12	LT	Forest Service	65.5	50.0	363.9	30.0		18.2	Gravel	Forest Service - Shooting Range
1582+75	LT									
1592+79	LT	Forest Service	177.0	16.0	314.7	26.0		15.7	Gravel	0
1604+98	RT	Forest Service	50.5	50.0	280.6	23.1		14.0	Gravel	0
1642+05	RT	Forest Service	16.0	4.0	7.1	0.6		0.4	Gravel	Field Approach
Subtotal C						576.8		349.6		

Print Date: 2/27/2017	0000	<b>Sheet Revisions</b>			<b>Colorado Department of Transportation</b>  1480 Quail Lake Loop, Suite A Colorado Springs, CO 80906 Phone: 719-227-3231 FAX: 719-227-3298 <b>Region 2</b>	<b>As Constructed</b>		<b>Tabulation of Approaches</b>			<b>Project No./Code</b>
File Name: 21254DES_Approach04.dgn		Date:	Comments	Init.		No Revisions:				STA 067A-039	
Horiz. Scale: 1:1      Vert. Scale: As Noted						Revised:	Designer:      AWG	Structure Numbers			21254
Unit Information      Unit Leader Initials						Void:	Sheet Subset:    Approach	Subset Sheets:    1 of 4			Sheet Number    20

gibberta 9:55:57 AM C:\Projects\21254 - SH 67 Cripple Creek to Westcreek\Design\Drawings\21254DES\_Approach05.dgn

STATION	TYPE	Avg Width	Length	Area	Hot Mix Asphalt (ST) (75) (Tons)		Emulsified Asphalt (Slow Setting) (Gal.)		Current Surface	Description
		Ft	Ft	SY	403-36721	As-Const.	411-10255	As-Const.		
1659+74	RT	County Road	57.0	50.0	316.7	26.1		15.8	Paved	Trout Creek Road
1671+14	LT	Residential	105.0	50.0	583.3	48.1		29.2	Gravel	Multiple Residences
1674+63	RT	Business	37.0	50.0	205.6	17.0		10.3	Gravel	Westcreek Cemetery
1689+88	LT	Residential	85.0	13.0	122.8	10.1		6.1	Gravel	Multiple Residences
1719+24	LT	County Road	80.5	50.0	447.2	36.9		22.4	Paved	Abbey Ave
1728+53	RT	Pulloff	88.0	29.0	283.6	23.4		14.2	Gravel	0
1736+82	LT	County Road	41.5	50.0	230.6	19.0		11.5	Paved	Westcreek Road
Subtotal						180.6		109.5		
Total						2024.5		1202		

1. QUANTITIES HAVE BEEN CARRIED FORWARD TO TABULATION OF RESURFACING SITES A AND B.
2. APPROACH WORK MAY BE ADDED OR REMOVED AS DETERMINED BY THE ENGINEER IN THE FIELD.
3. PULL-OFFS SHALL REMAIN UNPAVED.

Print Date: 2/27/2017		<b>Sheet Revisions</b>			 Colorado Department of Transportation 1480 Quail Lake Loop, Suite A Colorado Springs, CO 80906 Phone: 719-227-3231 FAX: 719-227-3298 Region 2 DLH	<b>As Constructed</b>		<b>Tabulation of Approaches</b>			<b>Project No./Code</b>	
File Name: 21254DES_Approach05.dgn		Date:	Comments	Init.		No Revisions:				STA 067A-039		
Horiz. Scale: 1:1      Vert. Scale: As Noted						Revised:	Designer:      AWG	Structure Numbers			21254	
Unit Information      Unit Leader Initials						Void:	Detailer:		Sheet Subset:    Approach	Subset Sheets:    1 of 4	Sheet Number    21	